

Fenos® 2020



[www.fenos.be](http://www.fenos.be)

All information in this catalogue is provided for information purposes only and Fenos makes no representations about the accuracy or completeness of the information in this catalogue. Fenos may revise the information and technical data contain hereinat any time without notice.

Weststraat 129e  
9940,  
Evergem,  
Belgium

+32 (0) 9 335 81 49  
VAT: BE0671.501.997

**Fenos®**  
The Light Idea



## About Fenos

Fenos products are developed by experts with several years of experience in professional lighting design and product design.

Fenos aims to produce lighting fixtures which can fulfill the needs of a professional lighting designer. Using high end optics to create a variety of light distributions as well as being aesthetically beautiful, makes Fenos among top choices for architectural lighting.

Fenos comes from the word "Fanoos", name of a traditional oil lamp mainly used in Middle East region.

# TECHNICAL COMPETENCE

## 1 Focus On Light Distribution

In a professional lighting design project, light sources with several light distributions are required. Using special optics of the latest technology makes Fenos products suitable for a wide range of applications:


From uniform wallwashing for vertical illumination to narrow beam spots to create shadows and enhance modelling effect, low glare optics for office applications or oval distributions for corridors.



## 2 Thermal Design

All Fenos products are equipped with LED light sources. For LEDs, proper heat dissipation is a key element to ensure the quality and life time of the product. During the design process, a lot of attention is paid in order to ensure maximum heat transfer and in the production line, quality control department makes regular checks and measurements with high accuracy thermometer to check the performance of heatsink and ensure that the temperature on LED is far below the allowed limits of LED temperature.

This will maximize the life time of LED and also consistency of color characteristics.



## 3 High Quality LEDs

LED is the heart of a light source. In all Fenos products, LEDs are supplied from the best manufacturers in the world to ensure the constancy in color and quality of light.



## 4 Aesthetics of light fixtures

It is not only about the light distribution but also the visual appearance of the light fixture is important. Minimalistic design and high quality finishing are also important features of Fenos products.

# Innovative Products Overview

## Vaswa Maxi XS

Are you looking for a light fixture to high light vertical elements of up to 20 meters and still energy efficient? Are you thinking of creating bright spots on the floor to create a more drama feeling in an outdoor environment? Check specification of Vaswa Maxi XS in page 184.



## Nian XS

In many indoor architectural lighting applications, an extreme narrow spot light distribution is required to highlight visually important elements.

Nian XS which is an extension of the formerly existing Nian family is a perfect solution for that. Check specification of Nian XS in page 60.



## Roni

Roni is the other word for flexibility in lighting. With one size and concept of downlight you can have a wide range of light distribution. Check specification of Roni in page 94.



## Felka Mini

Felka Mini track lights have the widest range of light distributions. Having special optics from extreme spot (5°) to extreme wide (60°) and wall washer or oval light distributions, makes Felka Mini a perfect solution for high end museums, galleries and retail. Check specification of Felka Mini in page 110.




## Darklans

Darklans is equipped with an advanced optic developed by Bartenbach GmbH. This small but still powerful downlight has an aperture of only 8mm, and even when the fixture is on, one can hardly see any light coming out of it. A real dark light. Check specification of Darklans in page 14.


# INDEX Indoor

## Ceiling Recessed Light



# INDEX Indoor

## Track Light



## Linear Light



# INDEX Outdoor

## Outdoor light



## Accessories



# INDEX

Category	Name	Page Number		
Indoor Light	Darklans	14	Ceiling Recessed Light	
	Eyren Micro	18		
	Filde Micro	22		
	Filde Mini	26		
	Rico	30		
	Sibron CF-TR	34		
	Sibron C Micro	38		
	Sibron C Mini	42		
	Sibron C Midi	46		
	Sibron C Maxi	50		
	Tiran C Mini	54		
	Nian	60		
	Sibron Q Mini	64		
	Sibron Q Midi	68		
	Sibron Q Maxi	72		
	Eyden Mini	76		
	Eyden L	80		
	Tiran S	84		
	Fitran Q	90		
	Roni WW	94		
	Roni	98		
	Valman	102		
				Track Light
		Felka Mini	110	
		Felka Midi	118	
		Felka Maxi	124	
		Pelka	130	
		Vera	134	
	Vera Twin	138		
			Linear Light	
	Sira S 1616	142		
	Sira R 1616	146		
	Sira OL	150		
	Sira S 6090	154		
	Sira P 6090	158		
	Sira R 6090	162		
	Sira R 6040	166		
Outdoor Light	Silva Midi	172	Profile Light	
	Silva Maxi	176		
	Vaswa Midi	180		
	Vaswa Maxi	184		
	Torso	188		
Accessories	Surface Track 3Phase	194		
	Accessories	194		
	Krab	196		
	Beno LED Strip	196		



# Indoor Lighting

Interior architecture is strongly influenced by lighting. Fenos has a wide range of products for professional indoor lighting with different light distributions, sizes and lumen outputs.



# Darklans

Ceiling Recessed



## Darklans

Ceiling Recessed



CODE	F180
Light source	LED
Power (W)	9
luminous flux (lm)	800   850
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black   Silver

IP 20  70mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop


Because of using a special double focus optic, the light is coming out of a very small hole with just 8mm diameter. As a result, the glare of the light reduced to minimum, so it seems off when the light is on.

\*Customized body colors and other color temperatures (CCTs) are available upon request



## Darklans

### Light distributions




Architect: Persian Garden

▲ Hana Boutique Hotel

### Accessories

Mandatory



Trimless Installation Kit  
Order code: 2180924109



### Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
White	F180W930M	Medium	F180W940M	White
Black	F180B930M	Medium	F180B940M	Black
Silver	F180S930M	Medium	F180S940M	Silver

# Eyren Micro

Ceiling Recessed



## Eyren Micro



Ceiling Recessed



Small size, only 45 mm



CODE	F190
Light source	LED
Power (W)	9
luminous flux (lm)	990
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black   Silver

IP 20 70mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

The conical shaped of this fixture and the the deeply placed LED light, make sure that glare is reduced to a minimum when Eyren Micro is installed in the ceiling

\*Customized body colors and other color temperatures (CCTs) are available upon request




Architect: Arsh 40 Studio 2018

▲ Loutka Restaurant


## Eyren Micro

### Light distributions



### Accessories

Mandatory



Trimless Installation Kit  
Order code: 2180924109

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F190W930S	Spot	F190W940S	White
	F190W930SM	Spot Medium	F190W940SM	
	F190W930M	Medium	F190W940M	
Body Color	3000K	Beam Angle	4000K	Body Color
Black	F190B930S	Spot	F190B940S	Black
	F190B930SM	Spot Medium	F190B940SM	
	F190B930M	Medium	F190B940M	
Body Color	3000K	Beam Angle	4000K	Body Color
Silver	F190S930S	Spot	F190S940S	Silver
	F190S930SM	Spot Medium	F190S940SM	
	F190S930M	Medium	F190S940M	




# Filde Micro

Ceiling Recessed



## Filde Micro

Ceiling Recessed



CODE	F123
Light source	LED
Power (W)	9
luminous flux (lm)	990
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 70mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**

DALI | Dimmable Version Available upon request


**Recommended Applications:**  
Residential | Office | Shop

Filde Micro is a minimal adjustable downlight with different light distributions from spot to wide.

\*Customized body colors and other color temperatures (CCTs) are available upon request


# Filde Micro

## Light distributions



## Accessories

Optional



Recessed Kit

Order code: 2123924125

## Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
White	F123W930S	Spot	F123W940S	White
	F123W930SM	Spot-Medium	F123W940SM	
	F123W930M	Medium	F123W940M	
Body Color	3000K ●	Beam Angle	4000K ●	Body Color
Black	F123B930S	Spot	F123B940S	Black
	F123B930SM	Spot-Medium	F123B940SM	
	F123B930M	Medium	F123B940M	



Architect: Bonsar Office 2019

▲ Kafi Abadi Residential


# Filde Mini

Ceiling Recessed



## Filde Mini

Ceiling Recessed



CODE	F124
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 84mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**

DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request




Architect: Gozoor Architect 2019

▲ Aban Residential

## Filde Mini

### Light distributions




### Accessories

Optional



LED GU10 Lamp  
Order code: 10020101

Optional



Recessed Kit  
Order code: 2124924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F124W1230S	Spot	F124W1240S	White
	F124W1230M	Medium	F124W1240M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F124B1230S	Spot	F124B1240S	Black
	F124B1230M	Medium	F124B1240M	

### Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F124WG	F124BG	Black

Lamp is not Included\*



# Rico

Ceiling Recessed



## Rico

Ceiling Recessed



CODE	F114
Light source	LED
Power (W)	6
luminous flux (lm)	300
Color Rendering (Ra)	>80
Color Temperature (K)	3000
Body Color	White   Black

IP 20 80mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request



### Light distributions

---

### Accessories


---

Optional



LED GU10 Lamp  
Order code: 10020101

Optional



Recessed Kit  
Order code: 2114924125

### Order code for GU10 Version\*

---

Body Color	Body Code	Body Code	Body Color
White	F114WG	F114BG	Black

Lamp is not Included\*



Architect: Gozoor Architect 2018

▲ ASP Residential

# Sibron CF-TR

Ceiling Recessed



Trimless lights are also considered by architects and interior designers in modern architectural monuments, as well as in classical architectural monuments. Sibron CF-TR can be fitted with a special kit on false ceilings with gypsum tiles (such as Knauf) and also on traditional gypsum ceilings.

## Sibron CF-TR

Ceiling Recessed



CODE	F136
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 84mm

**Supply Voltage:**  
220-240 Vac, 50Hz


**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request




▲ Kafi Abadi Residential ▼



Architect: Bonsar Office 2019

## Sibron CF-TR

### Light distributions



### Accessories

Optional



LED GU10 Lamp  
Order code: 10020101

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F136W1230S	Spot	F136W1240S	White
	F136W1230M	Medium	F136W1240M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F136B1230S	Spot	F136B1240S	Black
	F136B1230M	Medium	F136B1240M	

### Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F136WG	F136BG	Black

Lamp is not Included\*

# Sibron C Micro

Ceiling Recessed



## Sibron C Micro



Ceiling Recessed



CODE	F134
Light source	LED
Power (W)	9
luminous flux (lm)	990
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 58mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**


DALI|Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

## Sibron C Micro

### Light distributions




Architect: ZAV 2018

▲ Dorin Ston Parsian

### Accessories

Optional



Recessed Kit

Order code: 2123924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F134W930S	Spot	F134W940S	White
	F134W930SM	Spot-Medium	F134W940SM	
	F134W930M	Medium	F134W940M	
Body Color	3000K	Beam Angle	4000K	Body Color
Black	F134B930S	Spot	F134B940S	Black
	F134B930SM	Spot-Medium	F134B940SM	
	F134B930M	Medium	F134B940M	

# Sibron C Mini

Ceiling Recessed



Specific design of the bottom frame with its strips reduce the direct view to the light point and of course glare

## Sibron C Mini

Ceiling Recessed



CODE	F135
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 80mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**



DALI|Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

## Sibron C Mini

### Light distributions




### Accessories

Optional



LED GU10 Lamp  
Order code: 10020101

Optional



Recessed Kit  
Order code: 2135924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F135W1230S	Spot	F135W1240S	White
	F135W1230M	Medium	F135W1240M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F135B1230S	Spot	F135B1240S	Black
	F135B1230M	Medium	F135B1240M	

### Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F135WG	F135BG	Black

Lamp is not Included\*

# Sibron C Midi

Ceiling Recessed



## Sibron C Midi



Ceiling Recessed



CODE	F137
Light source	LED
Power (W)	20
luminous flux (lm)	2200
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 102mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available  
upon request

**Recommended Applications:**  
Office | Shop

Specific design of the bottom frame with its strips reduce the direct view to the light point and of course glare

\*Customized body colors and other color temperatures (CCTs) are available upon request






Architect: ZAV 2018

▲ Dorine Stone




## Sibron C Midi

### Light distributions



### Accessories

Optional



Recessed Kit

Order code: 2137924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F137W2030S	Spot	F137W2040S	White
	F137W2030M	Medium	F137W2040M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F137B2030S	Spot	F137B2040S	Black
	F137B2030M	Medium	F137B2040M	


# Sibron C Maxi

Ceiling Recessed



## Sibron C Maxi

Ceiling Recessed



CODE	F138
Light source	LED
Power (W)	30
luminous flux (lm)	3300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 130mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request


**Recommended Applications:**  
Office | Shop

Specific design of the bottom frame with its strips reduce the direct view to the light point and of course glare

\*Customized body colors and other color temperatures (CCTs) are available upon request

## Sibron C Maxi

### Light distributions




Architect: ZAV 2018

▲ Dorine Stone

### Accessories

Optional



Recessed Kit

Order code: 2138924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F138W3030S	Spot	F138W3040S	White
	F138W3030M	Medium	F138W3040M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F138B3030S	Spot	F138B3040S	Black
	F138B3030M	Medium	F138B3040M	

# Tiran C Mini


Ceiling Recessed



## Tiran C Mini



Ceiling Recessed



CODE	F127
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 90mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop

The contrast between square shape of the frame and round shape of light source is an interesting feature for many designers.

\*Customized body colors and other color temperatures (CCTs) are available upon request




Architect: Fallah 2014

▲ LAVAN

## Tiran C Mini

### Light distributions




### Accessories

Optional



LED GU10 Lamp  
Order code: 10020101

Optional



Recessed Kit  
Order code: 2127924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F127W1230S	Spot	F127W1240S	White
	F127W1230M	Medium	F127W1240M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F127B1230S	Spot	F127B1240S	Black
	F127B1230M	Medium	F127B1240M	

### Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F127WG	F127BG	Black

Lamp is not Included\*



# Nian

Ceiling Recessed




Accent lighting is one of the key elements in architectural lighting design. Spot lighting on objects, attracts people's attention to that object, and creates the feeling of drama in the space.

We as human being like shadows. A completely uniform lit environment resembles a cloudy day for us. The extreme narrow beam of Nian XS family, generated by a sophisticated high tech optic and a powerful compact light source is a good solution. In retail environment, increase level of contrast between light and dark spaces, gives a feeling of more luxury and special feeling to the customer.

## Nian

Ceiling Recessed



CODE	F130
Light source	LED
Power (W)	9*   12
luminous flux (lm)	600   1320
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000**
Body Color	White&Black

IP 20 90mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**

DALI|Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop | Restaurant

\*XS Version

\*\*Customized body colors and other color temperatures (CCTs) are available upon request



▼ Alborz Ceramic Showroom



▲ Mozafarian Jewellery


Architect: Ehsan Mohajer 2017



Architect: Archiform 2018


## Nian

### Light distributions



### Accessories

Optional



Recessed Kit

Order code: 2130924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White & Black	F130WB930XS	Extreme-Spot	F130WB940XS	White & Black
	F130WB1230M	Medium	F130WB1240M	




# Sibron Q Mini

Ceiling Recessed



## Sibron Q Mini

Ceiling Recessed



CODE	F140
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 90mm

**Supply Voltage:**  
220-240 Vac, 50Hz


**Driver:**  
DALI | Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request




▲Asan Pardakht Office ▼



Architect: Persian Garden 2018

## Sibron Q Mini

### Light distributions




### Accessories

Optional



LED GU10 Lamp  
Order code: 10020101

Optional



Recessed Kit  
Order code: 2140924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F140W1230S	Spot	F140W1240S	White
	F140W1230M	Medium	F140W1240M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F140B1230S	Spot	F140B1240S	Black
	F140B1230M	Medium	F140B1240M	

### Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F140WG	F140BG	Black

Lamp is not Included\*

# Sibron Q Midi


Ceiling Recessed



## Sibron Q Midi



Ceiling Recessed



CODE	F141
Light source	LED
Power (W)	20
luminous flux (lm)	2200
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 90mm

**Supply Voltage:**  
220-240 Vac, 50Hz


**Driver:**  
DALI|Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

## Sibron Q Midi

### Light distributions




Architect: Gozoor Architect 2019

▲ Aban Residential ▼



### Accessories

Optional



Recessed Kit

Order code: 2141924125

### Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
White	F141W2030S	Spot	F141W2040S	White
	F141W2030M	Medium	F141W2040M	
Body Color	3000K ●	Beam Angle	4000K ●	Body Color
Black	F141B2030S	Spot	F141B2040S	Black
	F141B2030M	Medium	F141B2040M	

# Sibron Q Maxi


Ceiling Recessed



## Sibron Q Maxi



Ceiling Recessed



CODE	F142
Light source	LED
Power (W)	30
luminous flux (lm)	3300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000
Body Color	White   Black


IP 20 115mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available  
upon request


**Recommended Applications:**  
Hotel | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request




## Sibron Q Maxi

### Light distributions



### Accessories

Optional



Recessed Kit

Order code: 2142924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F142W3030S	Spot	F142W3040S	White
	F142W3030M	Medium	F142W3040M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F142B3030S	Spot	F142B3040S	Black
	F142B3030M	Medium	F142B3040M	

# Eyden Mini

Ceiling Recessed




## Eyden Mini

Ceiling Recessed



Trimless Version



CODE	F150
Light source	LED
Power (W)	10
luminous flux (lm)	1100
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

**IP 20**  95X95mm  
113X113 mm (Trimless Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available  
upon request


**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

Pure minimal design and low glare

# Eyden Mini

## Light distributions



## Accessories

**Mandatory**

**Trimless Installation Kit**  
 Order code: 2099924117  
 For Trimless Version Only

**Optional**

**Recessed Kit**  
 Order code: 2150924125

## Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
<b>White</b>	F150W1030W	Wide	F150W1040W	<b>White</b>
<b>Black</b>	F150B1030W	Wide	F150B1040W	<b>Black</b>

## Order code table trimless version

Body Color	3000K	Beam Angle	4000K	Body Color
<b>White</b>	F153W1030W	Wide	F153W1040W	<b>White</b>
<b>Black</b>	F153B1030W	Wide	F153B1040W	<b>Black</b>

Architect: Gozoor Architect 2018



# Eyden L

Ceiling Recessed




## Eyden L

Ceiling Recessed



Trimless Version



CODE	F152
Light source	LED
Power (W)	15
luminous flux (lm)	1500
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000
Body Color	White   Black   White&Black

IP 20 95X95mm  
113X113 mm (Trimless Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI|Dimmable Version Available  
upon request


**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

This simple square luminaire with deep recessed positioning of the LED guarantees minimal glare


## Eyden L

### Light distributions




### Accessories

#### Mandatory



Trimless Installation Kit  
Order code: 2099924117  
For Trimless Version Only

#### Optional



Recessed Kit  
Order code: 2152924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F152W1530W	Wide	F152W1540W	White
Black	F152B1530W	Wide	F152B1540W	Black
White & Black	F152WB1530W	Wide	F152WB1540W	White & Black

### Order code table trimless version

Body Color	3000K	Beam Angle	4000K	Body Color
White	F154W1530W	Wide	F154W1540W	White
Black	F154B1530W	Wide	F154B1540W	Black
White & Black	F154WB1530W	Wide	F154WB1540W	White & Black



Architect: Shift Process & Practice 2019

▲ Alibaba Central Office

# Tiran S

Ceiling Recessed




## Tiran S

Ceiling Recessed



Trimless Version



CODE	F120
Light source	LED
Power (W)	9
luminous flux (lm)	990
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20  95X95mm  
113X113 mm (Trimless Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available  
upon request


**Recommended Applications:**  
Residential | Office | Shop

The contrast between square shape of the frame and round shape of light source is an interesting feature for many designers.

\*Customized body colors and other color temperatures (CCTs) are available upon request

# Tiran S

## Light distributions




## Accessories

Optional



LED GU10 Lamp  
Order code: 10020101

Optional



Recessed Kit  
Order code: 2120924125



Architect: Gozoor Architect 2019

▲ Aban Residential

## Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F120W930S	Spot	F120W940S	White
	F120W930SM	Spot Medium	F120W940SM	
	F120W930M	Medium	F120W940M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F120B930S	Spot	F120B940S	Black
	F120B930SM	Spot Medium	F120B940SM	
	F120B930M	Medium	F120B940M	


## Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F122WG	F122BG	Black

Lamp is not Included\*

## Tiran S Trimless

### Light distributions




### Accessories

Optional



LED GU10 Lamp  
Order code: 10020101

Mandatory



Trimless Installation Kit  
Order code: 2099924117  
For Trimless Version Only

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F121W930S	Spot	F121W940S	White
	F121W930SM	Spot Medium	F121W940SM	
	F121W930M	Medium	F121W940M	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F121B930S	Spot	F121B940S	Black
	F121B930SM	Spot Medium	F121B940S	
	F121B930M	Medium	F121B940S	

### Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F126WG	F126BG	Black

Lamp is not Included\*



Architect: Persian Garden

▲ JTI Office

# Fitran Q

Ceiling Recessed




## Fitran Q



Ceiling Recessed



Trimless Version



CODE	F119
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20 95X95mm  
113X113 mm (Trimless Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request




Architect: Persian Garden 2019

▲ JTI Office ▼



## Fitran Q

### Light distributions




### Accessories

Optional




LED GU10 Lamp  
Order code: 10020101

Mandatory



Trimless Installation Kit  
Order code: 2099924117  
For Trimless Version Only

Optional



Recessed Kit  
Order code: 2119924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F119W1230S	Spot	F119W1240S	White
	F119W1230M	Medium	F119W1240M	
Black	F119B1230S	Spot	F119B1240S	Black
	F119B1230M	Medium	F119B1240M	

### Trimless version Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F129W1230S	Spot	F129W1240S	White
	F129W1230M	Medium	F129W1240M	
Black	F129B1230S	Spot	F129B1240S	Black
	F129B1230M	Medium	F129B1240M	

### Order code for GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F119WG	F119BG	Black

### Order code for Trimless GU10 Version\*

Body Color	Body Code	Body Code	Body Color
White	F129WG	F129BG	Black

Lamp is not Included\*

# Roni WW

Ceiling Recessed




## Roni WW



Ceiling Recessed



Trimless Version



Roni WW is the wallwasher version of Roni family. It provides a uniform illumination on the wall surface, a perfect solution for highlighting architectural features of a building as well as lighting of galleries and museums. It's special design, makes the glare as low as possible.

CODE	F185
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000
Body Color	White

IP 20 84mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop | Gallery  
Museum

\*Customized body colors and other color temperatures (CCTs) are available upon request



Architect: Arschiform Architect 2019



▲ Dorin Ston


Alborz Ceramic Showroom ▼

Architect: Arschiform Architect 2019




## Roni WW

### Light distributions




### Accessories

Optional



Trimless Installation Kit  
Order code: 2185924111  
For Trimless Installation

Optional



Recessed Kit  
Order code: 2185924125

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F185W1230WW	Wallwasher	F185W1240WW	White

# Roni

Ceiling Recessed



## Roni

Ceiling Recessed

Double Wash



Wide



Spot



CODE	F185
Light source	LED
Power (W)	12
luminous flux (lm)	1300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White

IP 40 84mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**

DALI|Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

Oval



▲ Roni W



▲ Roni S



▲ Roni DW




▲ Hana Boutique Hotel

Architect: Persian Garden 2018


## Roni

### Light distributions



### Accessories

Optional



TRecessed Kit  
Order code: 2185924125



### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F185W1230S	Spot	F185W1240S	White
	F185W1230W	Wide	F185W1240W	
	F185W1230O	Oval	F185W1240O	
	F185W1230DW	DoubleWash	F185W1240DW	

# Valman

Ceiling Recessed



## Valman

Ceiling Recessed



CODE	F160
Light source	LED
Power (W)	30
luminous flux (lm)	3400
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000
Body Color	White

IP 20 125mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available  
upon request

**Recommended Applications:**  
Office | Shop

Vertical illumination is becoming more and more important for architects and lighting designers. It is important for architects because it reveals the feel of the space, and helps the place to become even more inviting. It is important for shop owners because it makes the shop become more visible and appear brighter from outside. In an office it helps to provide better visual comfort.

\*Customized body colors and other color temperatures (CCTs) are available upon request



Architect: Arschiform Architect 2019

Architect: Persian Garden 2017/2017




Architect: Parsa Ardam & Ramin Beyraghdar 2017

◀ Car Showroom    Baguette Restaurant ▶




## Valman

### Light distributions



### Accessories


Optional



Trimless Installation Kit  
Order code: 2160924125


### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F160W3030WW	Wallwasher	F160W3040WW	White





# Track Light



# Felka Mini

Track Light




## Felka Mini

Track Light



Felka Mini WW



CODE	F315
Light source	LED
Power (W)	12
luminous flux (lm)	1300   1320
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

**IP 20** 60mm (For RA Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop | Gallery  
Museum


\*Customized body colors and other color temperatures (CCTs) are available upon request

9 Different light distributions for almost all applications



## Felka Mini

### Light distributions



### Accessories

Track




Refer to page 194



▲ Carpet Gallery

ASP Residential ▼

Architect: Gozoor Architect 2018



### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F315W1230XS	Extreme Spot	F315W1240XS	White
	F315W1230S	Spot	F315W1240S	
	F315W1230SM	Spot Medium	F315W1240SM	
	F315W1230M	Medium	F315W1240M	
	F315W1230MW	Medium Wide	F315W1240MW	
	F315W1230W	Wide	F315W1240W	
	F315W1230WW	Wallwasher	F315W1240WW	
	F315W1230DW	Double Wash	F315W1240DW	
	F315W1230O	Oval	F315W1240O	


Body Color	3000K	Beam Angle	4000K	Body Color
Black	F315B1230XS	Extreme Spot	F315B1240XS	Black
	F315B1230S	Spot	F315B1240S	
	F315B1230SM	Spot Medium	F315B1240SM	
	F315B1230M	Medium	F315B1240M	
	F315B1230MW	Medium Wide	F315B1240MW	
	F315B1230W	Wide	F315B1240W	
	F315B1230WW	Wallwasher	F315B1240WW	
	F315B1230DW	Double Wash	F315B1240DW	
	F315B1230O	Oval	F315B1240O	

# Felka Mini

Track Light

## Felka Mini RA

Ceiling Recessed



### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F324W1230S	Spot	F324W1240S	White
	F324W1230M	Medium	F324W1240M	
	F324W1230WW	Wallwasher	F324W1240WW	
Black	F324B1230S	Spot	F324B1240S	Black
	F324B1230M	Medium	F324B1240M	
	F324B1230WW	Wallwasher	F324B1240WW	

## Felka Mini S

Surface Mounted




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F317W1230S	Spot	F317W1240S	White
	F317W1230M	Medium	F317W1240M	
Black	F317B1230S	Spot	F317B1240S	Black
	F317B1230M	Medium	F317B1240M	

## Felka Mini SA

Surface Mounted




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F318W1230S	Spot	F318W1240S	White
	F318W1230M	Medium	F318W1240M	
	F318W1230WW	Wallwasher	F318W1240WW	
Black	F318B1230S	Spot	F318B1240S	Black
	F318B1230M	Medium	F318B1240M	
	F318B1230WW	Wallwasher	F318B1240WW	

## Felka Mini P

Surface Mounted



### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F319W1230S	Spot	F319W1240S	White
	F319W1230M	Medium	F319W1240M	
Black	F319B1230S	Spot	F319B1240S	Black
	F319B1230M	Medium	F319B1240M	





# Felka Midi

Track Light



## Felka Midi

Track Light



CODE	F325
Light source	LED
Power (W)	20
luminous flux (lm)	2200
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000
Body Color	White   Black

IP 20 78mm (For RA Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Office | Commercial Center  
Residential | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request




▲ Cafe illy Up Office ▼



Architect: Persian Garden 2018


## Felka Midi

### Light distributions



### Accessories

Track



Refer to page 194

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F325W2030S	Spot	F325W2040S	White
	F325W2030SM	Spot Medium	F325W2040SM	
	F325W2030M	Medium	F325W2040M	
	F325W2030MW	Medium Wide	F325W2040MW	
	F325W2030W	Wide	F325W2040W	


Body Color	3000K	Beam Angle	4000K	Body Color
Black	F325B2030S	Spot	F325B2040S	Black
	F325B2030SM	Spot Medium	F325B2040SM	
	F325B2030M	Medium	F325B2040M	
	F325B2030MW	Medium Wide	F325B2040MW	
	F325B2030W	Wide	F325B2040W	

# Felka Midi

Track Light

## Felka Midi RA

Ceiling Recessed




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F329W2030S	Spot	F329W2040S	White
	F329W2030M	Medium	F329W2040M	
	F329W2030W	Wide	F329W2040W	
Black	F329B2030S	Spot	F329B2040S	Black
	F329B2030M	Medium	F329B2040M	
	F329B2030W	Wide	F329B2040W	

## Felka Midi S

Surface Mounted




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F327W2030S	Spot	F327W2040S	White
	F327W2030M	Medium	F327W2040M	
Black	F327B2030S	Spot	F327B2040S	Black
	F327B2030M	Medium	F327B2040M	

## Felka Midi SA

Surface Mounted




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F328W2030S	Spot	F328W2040S	White
	F328W2030M	Medium	F328W2040M	
	F328W2030W	Wide	F328W2040W	
Black	F328B2030S	Spot	F328B2040S	Black
	F328B2030M	Medium	F328B2040M	
	F328B2030W	Wide	F328B2040W	

## Felka Midi P

Surface Mounted




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F326W2030S	Spot	F326W2040S	White
	F326W2030M	Medium	F326W2040M	
Black	F326B2030S	Spot	F326B2040S	Black
	F326B2030M	Medium	F326B2040M	

# Felka Maxi

Track Light



For Retail and High Ceiling Applications

## Felka Maxi

Track Light



CODE	F316
Light source	LED
Power (W)	30
luminous flux (lm)	3300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000
Body Color	White   Black

IP 20  100mm (For RA Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request



▼ Fit Store

▲ Fri kodel ▼




Architect: Vav Studio 2018



Architect: Persian Garden 2018


## Felka Maxi

### Light distributions



### Accessories

Track



Refer to page 194

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F316W3030S	Spot	F316W3040S	White
	F316W3030M	Medium	F316W3040M	
	F316W3030W	Wide	F316W3040W	
Body Color	3000K	Beam Angle	4000K	Body Color
Black	F316B3030S	Spot	F316W3040S	Black
	F316B3030M	Medium	F316W3040M	
	F316B3030W	Wide	F316W3040W	




# Felka Maxi

Track Light

## Felka Maxi RA

Ceiling Recessed




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F323W3030S	Spot	F323W3040S	White
	F323W3030M	Medium	F323W3040M	
	F323W3030W	Wide	F323W3040W	
Black	F323B3030S	Spot	F323B3040S	Black
	F323B3030M	Medium	F323B3040M	
	F323B3030W	Wide	F323B3040W	

\* Customized body color and other light colors are also available upon request

## Felka Maxi S

Surface Mounted




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F321W3030S	Spot	F321W3040S	White
	F321W3030M	Medium	F321W3040M	
Black	F321B3030S	Spot	F321B3040S	Black
	F321B3030M	Medium	F321B3040M	

\* Customized body color and other light colors are also available upon request

## Felka Maxi SA

Surface Mounted




### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F322W3030S	Spot	F322W3040S	White
	F322W3030M	Medium	F322W3040M	
	F322W3030W	Wide	F322W3040W	
Black	F322B3030S	Spot	F322B3040S	Black
	F322B3030M	Medium	F322B3040M	
	F322B3030W	Wide	F322B3040W	

\* Customized body color and other light colors are also available upon request

## Felka Maxi P

Surface Mounted



### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F320W3030S	Spot	F320W3040S	White
	F320W3030M	Medium	F320W3040M	
Black	F320B3030S	Spot	F320B3040S	Black
	F320B3030M	Medium	F320B3040M	

\* Customized body color and other light colors are also available upon request

# Pelka

Track Light



## Pelka

Track Light



CODE	F310
Light source	LED
Power (W)	30
luminous flux (lm)	3300
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

For a Modern Architecture



Architect: Ehsan Mohajer 2017

▲Cafe Ily


Car Showroom ▼



Architect: Persian Garden 2017


## Pelka

### Light distributions



### Accessories

Track



Refer to page 194

### Order code table

Body Color	3000K ☀	Beam Angle	4000K ☀	Body Color
White	F310W3030S	Spot	F310W3040S	White
	F310W3030W	Wide	F310W3040W	
Body Color	3000K ☀	Beam Angle	4000K ☀	Body Color
Black	F310B3030S	Spot	F310B3040S	Black
	F310B3030W	Wide	F310B3040W	

# Vera


Track Light



For Retail and High Ceiling Applications

## Vera

Track Light



CODE	F300
Light source	LED
Power (W)	35
luminous flux (lm)	3650
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Office | Shop | Museum

\*Customized body colors and other color temperatures (CCTs) are available upon request




▲ Riwas Restaurant

▼ Rosha Center


## Vera

### Light distributions



### Accessories

#### Track



Refer to page 194



Architect: Dezhar Design Architects 2015

### Order code table

Body Color	3000K	Beam Angle	4000K	Body Color
White	F300W3530S	Spot	F300W3540S	White
	F300W3530W	Wide	F300W3540W	

Body Color	3000K	Beam Angle	4000K	Body Color
Black	F300B3530S	Spot	F300B3540S	Black
	F300B3530W	Wide	F300B3540W	


# Vera Twin

Track Light



## Vera Twin

Track Light



Powerful track light with low height and high flexibility in installation

CODE	F305
Light source	LED
Power (W)	35
luminous flux (lm)	3850
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

Architect: Danial Jabbari & Shahab Alidoust 2018




▼ Mitsubishi Showroom

Enjoy Life Mika Partner ▲


## Vera Twin

### Light distributions



### Accessories

Track



Refer to page 194



Architect: Persian Garden 2016

### Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
White	F305W3530S	Spot	F305W3540S	White
	F305W3530W	Wide	F305W3540W	
Body Color	3000K ●	Beam Angle	4000K ●	Body Color
Black	F305B3530S	Spot	F305B3540S	Black
	F305B3530W	Wide	F305B3540W	

# Sira S 1616

Profile






Very small and compact, suitable for many applications where size is limited

## Sira S 1616



Profile



CODE	F465
Light source	LED
Body Color	White   Black   Silver

IP  
44

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request





▲ Loutka Restaurant


▼ Kafi Abadi Residential



Architect: Bonsar


## Sira S 1616

### Light distributions




### Accessories

Surface Installation




Sira S1616 Bracket

Optional



LED Strip  
Refer to page 196

Optional



Krab  
Refer to page 196

### Order code table

Body Color	Order Code	Beam Angle
White	F465WW	Wide
Black	F465BW	Wide
Silver	F465SW	Wide

# Sira R 1616

Profile

## Sira R 1616

Profile



CODE	F415
Light source	LED
Body Color	White   Black   Silver

IP 44 17mm

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request


Very small and compact, suitable for recessed applications where size is limited such as shelf lighting.



Alibaba Central Office ▲


## Sira R 1616

### Light distributions




### Accessories

#### Recessed Installation



Sira R 1616 Bracket

#### Optional



LED Strip  
Refer to page 196

### Order code table

Body Color	Order Code	Beam Angle
White	F415WW	Wide
Black	F415BW	Wide
Silver	F415SW	Wide

# Sira OL



Recessed Linear



## Sira OL



Profile



CODE	F465
Light source	LED
Body Color	Silver

IP  
65

**Recommended Applications:**  
Residential | Office | Shop | Garden  
Facade

\*Customized body colors and other color temperatures (CCTs) are available upon request

Very small and compact, suitable for many applications where size is limited

Architect: Parsa Ardam & Ramin Beyraghdar 2018



▼ Runiran


NATI Confectionary ▲



Architect: Parsa Ardam & Ramin Beyraghdar 2018


## Sira OL

### Light distributions




### Accessories

Surface Installation



Sira OL Bracket

Optional



LED Strip  
Refer to page 196

### Order code table

Body Color	Order Code	Beam Angle
Silver	F465SW	Wide

# Sira S 6090

Surface Linear




## Sira S 6090



Surface Linear




Trimless Version



Continuous Linear light with 60 mm light emitting width

CODE	F451
Light source	LED
Power (W)	30   50*
luminous flux (lm)	4000
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000**
Body Color	White   Black

  83mm(Trimless Version)

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI|Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop

\*114Cm:35W | 168Cm:50W

\*\*Customized body colors and other color temperatures (CCTs) are available upon request



Architect: Persian Garden 2018

▲ JIT Office


Job Building ▲



Architect: Mani Sadraei 2017

## Sira S 6090


### Light distributions



Wide (W)


### Accessories

Optional



**Trimless Installation Kit**  
**Order code: 2451924125**  
 For more details refer to installation details in our website

Optional



**Solid Aluminium Cover**  
**Order code:**  
 White: 2451215106  
 Black: 2451115106

### Order code table

Body Color	3000K	Length (cm)	4000K	Body Color
White	F451W3530W	114	F451W3540W	White
	F451W5030W	168	F451W5040W	
Body Color	3000K	Length (cm)	4000K	Body Color
Black	F451B3530W	114	F451B3540W	Black
	F451B5030W	168	F451B5040W	

The above order table code is for standard lengths of 114 and 168 cm. To order other lengths, than standard shapes, please refer to our sales support team to help you.

# Sira P 6090


Pendant Linear



Continuous Linear light with 60 mm light emitting width

## Sira P 6090

Pendant Linear



CODE	F453
Light source	LED
Power (W)	30   50*
luminous flux (lm)	4000
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000**
Body Color	White   Black

\*114Cm:35W | 168Cm:50W

\*\*Customized body colors and other color temperatures (CCTs) are available upon request

IP  
20

**Supply Voltage:**  
220-240 Vac,50Hz


**Driver:**  
DALI|Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop



## Sira P 6090


### Light distributions



architects: Elham Ebrahimi, Mojtaba Mirhosseini

▼ Alibaba Central Office


Bazargan Kala co. office ▲



Architect: Shift Process & Practice 2019


### Accessories

Optional



Trimless Cable Base  
Order code: 2453224110

Optional



Solid Aluminium Cover  
Order code:  
White: 2451215106  
Black: 2451115106

### Order code table

Body Color	3000K ●	Length (cm)	4000K ●	Body Color
White	F453W3530W	114	F453W3540W	White
	F453W5030W	168	F453W5040W	
Body Color	3000K ●	Length (cm)	4000K ●	Body Color
Black	F453B3530W	114	F453B3540W	Black
	F453B5030W	168	F453B5040W	

The above order table code is for standard lengths of 114 and 168 cm. To order other lengths, than standard shapes, please refer to our sales support team to help you.



# Sira R 6090

Recessed Linear



## Sira R 6090

Recessed Linear



CODE	F452
Light source	LED
Power (W)	30   50*
luminous flux (lm)	4000
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000**
Body Color	White   Black

IP 20  70mm

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI|Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop


\*114Cm:35W | 168Cm:50W

\*\*Customized body colors and other color temperatures (CCTs) are available upon request

Continuous Linear light with 60 mm light emitting width

## Sira R 6090

### Light distributions




Architect: Bonsar Office

▲ Kafi Abadi Residential

### Accessories

Optional



Solid Aluminium Cover  
Order code:  
White: 2451215106  
Black: 2451115106

### Order code table

Body Color	3000K	Length (cm)	4000K	Body Color
White	F452W3530W	114	F452W3540W	White
	F452W5030W	168	F452W5040W	
Body Color	3000K	Length (cm)	4000K	Body Color
Black	F452B3530W	114	F452B3540W	Black
	F452B5030W	168	F452B5040W	

The above order table code is for standard lengths of 114 and 168 cm. To order other lengths, than standard shapes, please refer to our sales support team to help you.

# Sira R 6040



Recessed Linear



Continuous Linear light with 60 mm light emitting width

## Sira R 6040

Recessed Linear



CODE	F403
Light source	LED
Power (W)	30
luminous flux (lm)	4000
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	White   Black

IP 20  70mm

**Supply Voltage:**  
220-240 Vac, 50Hz


**Driver:**  
DALI | Dimmable Version Available  
upon request

**Recommended Applications:**  
Residential | Office | Shop

\*Customized body colors and other color temperatures (CCTs) are available upon request

## Sira R 6040


### Light distributions



▲ Charima Office

### Accessories

Optional



Solid Aluminium Cover

Order code:

White: 2451215106

Black: 2451115106

### Order code table

Body Color	3000K	Length (cm)	4000K	Body Color
White	F403W3530W	114	F403W3540W	White
	F403W5030W	168	F403W5040W	

Body Color	3000K	Length (cm)	4000K	Body Color
Black	F403B3530W	114	F403B3540W	Black
	F403B5030W	168	F403B5040W	

The above order table code is for standard lengths of 114 and 168 cm. To order other lengths, than standard shapes, please refer to our sales support team to help you.

# Outdoor Lighting

Fenos products are used in several outdoor lighting projects. Different products with different beam angles are available for professional applications like facade lighting or illumination of gardens.

# Silva Midi

Floor Surface




Continuous Linear light with 60 mm light emitting width

## Silva Midi



Floor Surface



CODE	F920
Light source	LED
Power (W)	13
luminous flux (lm)	1400
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	Silver

IP 65

**Supply Voltage:**  
220-240 Vac, 50Hz


**Driver:**  
DALI | Dimmable Version Available upon request

**Recommended Applications:**  
Residential | Office | Shop  
Facade Lighting

\*Customized body colors and other color temperatures (CCTs) are available upon request

## Silva Midi

### Light distributions



### Accessories



▲ Charsou



### Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
Silver	F920S1330S	Spot	F920S1340S	Silver
	F920S1330M	Medium	F920S1340M	
	F920S1330O	Oval	F920S1340O	



# Silva Maxi


Floor Surface



## Silva Maxi



Floor Surface



CODE	F925
Light source	LED
Power (W)	40
luminous flux (lm)	3240
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	Silver

IP 65

**Supply Voltage:**  
220-240 Vac, 50Hz

**Driver:**  
DALI | Dimmable Version Available upon request


**Recommended Applications:**  
Residential | Office | Shop  
Facade Lighting

\*Customized body colors and other color temperatures (CCTs) are available upon request

Professional outdoor compact linear light with different light distributions

## Silva Maxi

### Light distributions



Architect: Bonsar Office 2016



▲ Park Center

### Accessories

### Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
Silver	F925S4030S	Spot	F925S4040S	Silver
	F925S4030M	Medium	F925S4040M	
	F925S4030O	Oval	F925S4040O	

\*Customized body color and other light distribution are also available upon request

# Vaswa Midi

Exterior Projector



## Vaswa Midi

Exterior Projector



CODE	F900
Light source	LED
Power (W)	8
luminous flux (lm)	800
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	Gray

IP 65


**Supply Voltage:**  
220-240 Vac, 50Hz

**Recommended Applications:**  
Residential | Office | Shop  
Facade Lighting | Garden

\*Customized body colors and other color temperatures (CCTs) are available upon request

Compact and powerful  
Small projector for facade and garden lighting

# Vaswa Midi



Architect: Hegza Consulting Engineering 2014

▲ Sadr Highway




Architect: Mehrdad Iravanian 2014

▼ Bank Mellī Ferdowsi

▲ Green Land

## Light distributions



## Accessories

## Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
Gray	F901G830S	Spot	F901G840S	Grey
	F901G830M	Medium	F901G840M	



Architect: Padiar Pant Architect 2017

# Vaswa Maxi

Exterior Projector



## Vaswa Maxi

Exterior Projector



CODE	F905
Light source	LED
Power (W)	12
luminous flux (lm)	1320
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000*
Body Color	Gray

IP 65

**Supply Voltage:**  
220-240 Vac, 50Hz

**Recommended Applications:**  
Residential | Office | Shop  
Facade Lighting | Garden

\*Customized body colors and other color temperatures (CCTs) are available upon request

For facade and landscape  
For delightful outdoor atmosphere



▲ Bank Melli Ferdowsi


Hana Boutique Hotel ▼



Architect: Persian Garden 2018

## Vaswa Maxi

### Light distributions



### Accessories

### Order code table

Body Color	3000K ●	Beam Angle	4000K ●	Body Color
Gray	F905B1230XS	Extreme Spot	F905B1240XS	Gray

# Torso

Wall Mounted



For facade and landscape  
For delightful outdoor atmosphere

## Torso

Wall Mounted



CODE	F640
Light source	LED
Power (W)	2x6
luminous flux (lm)	2x600
Color Rendering (Ra)	>80
Color Temperature (K)	3000   4000
Body Color	White   Black   Gray

IP  
65

**Supply Voltage:**  
220-240 Vac, 50Hz

**Recommended Applications:**  
Residential | Facade Lighting

\*Customized body colors and other color temperatures (CCTs) are available upon request

Light distributions

Architect: Gozoor Architect 2019



▲ Aban Residential

Accessories

Optional



Double LED GU10 Lamp  
Order code: 10020101

Order code for GU10 version\*

Body Color	Order Code
White	F940WG
Black	F940BG
Gray	F940GG

Lamp is not included\*







# Accessories

# Accessories



## Surface Track 3Phase

Body Color	Order Code	Lenght(m)	Order Code	Body Color
White	25106	1	25102	Black
	25206	2	25202	
	25306	3	25302	
	25406	4	25402	



## End Cap

Body Color	Order Code	Body Color
White	555112171 555112172	Black



## End Feed(earth right)

Body Color	Order Code	Body Color
White	555112011 555112012	Black



## End Feed(earth left)

Body Color	Order Code	Body Color
White	555112021 555112022	Black



## X Coupler(with feeding option)

Body Color	Order Code	Body Color
White	555112161 555112162	Black

# Accessories



## L Coupler(with feeding option earth outside)

Body Color	Order Code	Body Color
White	555112091 555112092	Black



## L Coupler(with feeding option earth inside)

Body Color	Order Code	Body Color
White	555112101 555112101	Black



## I Coupler(with feeding option)

Body Color	Order Code	Body Color
White	555112081 555112082	Black



## Flex Coupler(30 to 330 degree with feeding option)

Body Color	Order Code	Body Color
White	555112111 555112112	Black



## T Coupler(with feeding option earth inside right)

Body Color	Order Code	Body Color
White	555112121 555112122	Black

# Accessories



**T Coupler**(with feeding option earth inside left)

Body Color	Order Code		Body Color
White	555112131	555112132	Black



**T Coupler**(with feeding option earth outside right)

Body Color	Order Code		Body Color
White	555112141	555112142	Black



**T Coupler**(with feeding option earth outside left)

Body Color	Order Code		Body Color
White	555112151	555112152	Black



**Krab**


Body Color	Order Code		Body Color
White	FE10W6036	FE10B6036	Black




**Beno LED Strips**

Order Code	Power(W/m)	Voltage(V)	CCT(K)
F80014306033	14	24 V-DC	3000
F80014406033	14	24 V-DC	4000
F80010306033	10	24 V-DC	3000
F80010406033	10	24 V-DC	4000

# Earth Run Layout Help



# Surface Track 3Phase Mechanical Load




**3- track wiring diagram**

a) Connection to AC 230V (220 - 240V)  
 maximum load: 3.600 W (3.500 - 3.800 W)  
 Total load can spread on any circuit

fuse  
 power supply cable  
 power supply cable

1 x 16 A  
 min. 3 x 1.5 mm<sup>2</sup>  
 min. 3 x 2.5 mm<sup>2</sup>




## Guide To Fenos Products Coding

<b>F</b>	<b>115</b>	<b>B</b>	<b>20</b>	<b>40</b>	<b>M</b>
Fenos	Product Family Code	Body Color	Power Consumption(w)	CCT(K)	Beam Angle
e.g Vera: 300 Felka Mini: 315		B: Black W: White S: Silver G: Gray WB: White-Black	e.g Vera: 35 Felka Mini: 12	27: 2700K 30: 3000K 40: 4000K 60: 6000K	XS: Extreme Spot S: Spot SM: Spot-Medium M: Medium MW: Medium Wide W: Wide WW: Wall Washer DW: Double Wallwasher O: Oval

## Alphabetic index

Darklans	14	Sibron Q Maxi	72
Eyden L	80	Sibron Q Midi	68
Eyden Mini	76	Sibron Q Mini	64
Eyren Micro	18	Silva Maxi	176
Felka Maxi	124	Silva Midi	172
Felka Midi	118	Sira OL	150
Felka Mini	110	Sira P 6090	158
Filde Micro	22	Sira R 1616	146
Filde Mini	26	Sira R 6040	166
Fitran Q	90	Sira R 6090	162
LED Strip	194	Sira S 1616	142
Nian	60	Sira S 6090	154
Pelka	130	Tiran C Mini	54
Rico	30	Tiran S	84
Roni WW	94	Torso	188
Roni	98	Valman	102
Sibron CF-TR	34	Vaswa Maxi	184
Sibron C Maxi	50	Vaswa Midi	180
Sibron C Midi	46	Vera	134
Sibron C Micro	38	Vera Twin	138
Sibron C Mini	42		

## Guide To selection of the right beam angle, depending on the object size and distance from the light source



The diameter of the illuminated area at the distance of 2m

Objects

Recommended products from Fenos

Diameter to distance Ratio (DdR)

	20 cm	50 cm	80 cm	140 cm	160 cm	230 cm
Objects						
Recommended products from Fenos	Felka Mini XS Fitro XS Nian XS Vaswa Maxi XS	Felka Mini S Roni S Sibron C Mini S Sibron CI-TR S Tiran S Vaswa Midi S	Felka Mini MS Tiran S	Felka M Sibron C M Sibron CI-TR M Vaswa Midi M	Felka Maxi M Felka Mini M Pelka M Vera M Vera Twin M	Felka Mini W Roni W
Diameter to distance Ratio (DdR)	0.1	0.25	0.4	0.7	0.8	1.15

# Installation Instruction

Trimless Lights

