



2024

— Minilog —

Fenos[®]



www.fenos.be

All information in this catalogue is provided for information purposes only and Fenos makes no representations about the accuracy or completeness of the information in this catalogue. Fenos may revise the information and technical data contain herein at any time without notice.

Fazantenstraat 46, 9940, Evergem, Belgium

Tel: +32 (0) 9 335 81 49
VAT: BE0671.501.997

info@fenos.be

Guide to using augmented reality:



Note: This function may not have accurate results on some devices, especially on phones with Android operating system.


1

First, scan the QR CODE of the product and enter the product page.



2

Enter the Augmented Reality or AR section on this page.




3

At this stage, you can see the three-dimensional view of the product. Click on the cube icon in the bottom part.




4

Scan the surface or ceiling you intend to install the product on and wait for the lamp to be placed in the environment.



5

Now you can see the placement of the product on the intended place after installation.



To have a detailed experience and benefit from the website features, use a browser; **Google Chrome** is recommended.

Mini log

This catalog is designed in line with the long-term goals of the company to develop environmentally friendly products. Therefore, brief information about each product is included in this catalog and additional information is presented digitally to the reader, which has reduced paper consumption. Also, the use of modern technologies is one of the main approaches of Fenos company.



Augmented Reality

You can witness each of products in your environment before purchasing them. Using your smartphone and through the link provided next to the products, with augmented reality (AR), simulate the desired product in the space of your choice.



360 degree vision

If you need to check products from different angles, you can use the **360 degree** product link. This feature allows you to view all angles of the product.



Product page on the website

Use the link next to each product to obtain additional information, including technical specifications, download brochures and required content. This link will lead you to the dedicated page of each product on Fenos website.



Installation instruction

In order to provide additional data, installation instructions for each product are given on the corresponding page. To download the instructions, you can use the link inserted on the pages.



Help description

Next to the specifications of each product, a «QR Code» has been inserted. By scanning the code with a smart mobile phone, you will be directed to a page where various links can be seen. If you select any of the links, you will have access to any of the desired information according to the mentioned descriptions. For example, if you select the Augmented Reality (AR) link, the desired product will be simulated on the smartphone screen, and by moving the camera angle, you can place the product in the desired space and predict the final result. The function of other links is also the same and you will be directed to the desired data according to your request.

INDEX Indoor

Category	Name	Page Number
Ceiling Recessed Light	Darklans Oyan Zhiwer Sibron CF-TR	10
	Eyren Micro Eyren Mini Eyren Midi Eyren Maxi	11
	Sibron C Micro Sibron C Mini Sibron C Midi Sibron C Maxi	12
	Fitran C Mini Tiran C Mini Nian	13
	Roni WW Valman	14
	Sibron Q Mini Sibron Q Midi Sibron Q Maxi	16
	Eyden Mini Eyden Mini TR Filde Micro Filde Mini	17
	Fitran Q Fitran Q TR Fitran Q TR Twin	18
	Tiran S Tiran S TR Tiran SG TR Twin	19
	Merbo Micro RA Merbo Mini RA Merbo Micro RA Twin Aro RA	20
Surface Mounted	Felka Micro S Felka Mini S Felka Midi S Felka Maxi S	21
	Aro S Aro SA Merbo Micro CW-DR Merbo Micro CW-DS	22
	Aro CW Valman S	23
Pendant Mounted	Felka Micro P Felka Mini P Felka Midi P Felka Maxi P	24
	Aro P	25

INDEX Indoor

Category	Name	Page Number
Track Light	Merbo Micro Merbo Mini Merbo Midi Merbo Maxi	26
	Armo Maxi Felka mini Belta Aro	27
	Valman T Risen	28
Linear Light	Sira S 1616 Sira R 1616 Sira V 1616 Sira TR 1616	29
	Sira OL Sira R 4040 Sira S 4090 Sira P 4090	30
	Sira R 6040 Sira R 6090 Sira S 6090 Sira P 6090	31
Slot Systems	Krab 36 Krab 16	32
complementary Products for Linear Lights	Merbora Micro 40 Merbora Mini 60 Arora 60	33
Acoustic Lights	Sirana 625 Orma Felkana	34

INDEX Outdoor

Category	Name	Page Number
Outdoor Light	Vaswa Micro Vaswa Midi Vaswa Maxi	35
	Silva Midi Silva Maxi Torso	36

Guide:

Code F180 **Product Name** Darklans

Product in installed mode

Bartenbach optics technology / Reduce dazzling according to the designed form / Trimless installation / Extreme small size

Description and main features

Suggested Retail Price (SRP) EXW Belgium 112.8 €

Product light distribution angle

Secondary image of the product

Ceiling Cut out

Dimensions 70mm, 92mm, 47mm

Technical information Power(W) 9, luminous flux(lm) 800-850

QR CODE for more information


Innovative products overview



GLARE-FREE LIGHT FROM AN INVISIBLE SOURCE



Engineering, designing and manufacturing of this lens was done by Bartenbach, a leading Austrian company in the world lighting industry. LFO lens technology is suchlike that the light is converged at a distance and then diverges at a certain angle; This results in the light passing through a small aperture and lighting up the environment. On the other hand, one of the important features of this lens is to prevent glare; In fact, hiding the light spot inside the lamp causes no glare for people in the environment.




LFO Family




Track light with variety in light distribution

Merbo BS is a lighting with a primary spot lens. By using its secondary lenses, the user takes advantage of different light distributions and shapes such as medium and wide angles or square and oval shapes. Honeycomb can also be used for this light, which significantly reduces glare. This product can also be ordered in different sizes and powers.



Vertical Illumination

Wall washer lenses



F181 Oyan



Bartenbach optics technology / Reduces dazzling according to the designed form / Trimless installation / Customization of the outer surface material with the ceiling

	Power(W) lumious flux(lm)	9 800-850	95.0 €
	Ø	68mm	

F180 Darklans



Bartenbach optics technology / Reduces dazzling according to the designed form / Trimless installation / Extreme small size

	Power(W) lumious flux(lm)	9 800-850	112.6 €
	Ø	70mm	

F191 Eyren Mini



Reduces dazzling according to the designed form / Trimless installation / Extreme small size / With the ability to use a GU10 lamp for the economic version

	Power(W) lumious flux(lm)	12 1300	54.8 €
	Ø	90mm	

F190 Eyren Micro



Reduces dazzling according to the designed form / Trimless installation / Extreme small size

	Power(W) lumious flux(lm)	9 990	63.9 €
	Ø	75mm	

F136 Sibron CF TR



Trimless installation / Easy installation / With the ability to use a GU10 lamp for the economic version

	Power(W) lumious flux(lm)	12 1300	48.3 €
	Ø	84mm	

F182 Zhiwer



Bartenbach optics technology / Reduces dazzling according to the designed form / Trimless installation / The ability to match the material of the outer surface with the ceiling

	Power(W) lumious flux(lm)	27 1800	269.0 €
	Ø	185 X 35mm	

F193 Eyran Maxi



Reduces dazzling according to the designed form / Trimless installation / Variety of special colors / Higher power

	Power(W) lumious flux(lm)	30 3300	163.2 €
	Ø	145mm	

F192 Eyran Midi



Reduces dazzling according to the designed form / Trimless installation / Variety of special colors

	Power(W) lumious flux(lm)	20 2200	100.8 €
	Ø	112mm	

F135 Sibron C mini



Rhythmic form in the design / Ability to use GU10 lamp for the economic version

	Power(W) luminous flux(lm)	12 1300	39.0 €
	Ø	80mm	
		Spot Medium	

F134 Sibron C Micro



Rhythmic form in the design / Extreme small size / Glare reduction due to the shape of the body

	Power(W) luminous flux(lm)	9 900	52.3 €
	Ø	58mm	
		Spot Medium	

F127 Tiran C mini



15 degree adjustable light / With the ability to use GU10 lamps for the economic version

	Power(W) luminous flux(lm)	12 1300	56.5 €
	Ø	90mm	
		Spot Medium	

F128 Fitran C mini



15 degree adjustable light / With the ability to use GU10 lamps for the economic version

	Power(W) luminous flux(lm)	12 1300	43.3 €
	Ø	90mm	
		Spot Medium	

F138 Sibron C Maxi



Rhythmic form in the design / High efficiency / Suitable for high ceilings

	Power(W) luminous flux(lm)	30 3300	179.1 €
	Ø	130mm	
		Spot Medium	

F137 Sibron C midi



Rhythmic form in the design / High efficiency / Suitable for high ceilings

	Power(W) luminous flux(lm)	20 2200	94.6 €
	Ø	102mm	
		Spot Medium	

F130 Nian



Dark light lamp/ 30 degree adjustable light for lighting the subject on the wall/ Super narrow and narrow light distribution angle

	Power(W) luminous flux(lm)	9-12 600-1320	45.5 €
	Ø	80mm	
		X-Spot Spot	



Tavassoli Reseidential / Architect: Paradaim

F185 Roni



Uniform lighting on the wall/ Normal and trimless installation/ Special form design



Power(W) 12
luminous flux(lm) 1300

116.0 €

70-90(TR) mm

WallWasher



F160 Valman



Uniform lighting on the wall / Wall washer light distribution angle / Can be used for walls up to 8 meters high



Power(W) 30
luminous flux(lm) 3400

219.8 €


125mm

WallWasher



Vertical Illumination

Vertical illumination has become more and more important for architects and lighting designers. It is important for architects because it reveals the feel of the space, and helps the place to become even more inviting. This technique is used to add more depth to the space, to emphasis on the vertical surfaces and creating a clearer spatial perception for observers. Fenos offers a wide range of wall washers with an asymmetrical beam for a perfect uniform wall washing.



F141 Sibron Q Midi



Combination of square and circular form / High efficiency / Suitable for high ceilings

	Power(W) lumious flux(lm)	20 2200	64.3 €
	Ø 90mm		

F140 Sibron Q Mini



Combination of square and circle form / High efficiency / Ability to use GU10 lamp for economic version

	Power(W) lumious flux(lm)	12 1300	35.4 €
	Ø 70mm		

F153 Eyden Mini TR



Trimless installation / Minimal and modern design / Square shaped / High quality diffuser for uniform light distribution

	Power(W) lumious flux(lm)	10 1100	50.3 €
	113 X 113mm		

F150 Eyden Mini



Minimal and modern design / Square shaped / High quality diffuser for uniform light distribution

	Power(W) lumious flux(lm)	10 1100	36.0 €
	95 X 95mm		



F142 Sibron Q Maxi



Combination of square and circular form / High efficiency / Suitable for high ceilings

	Power(W) lumious flux(lm)	30 3300	159.2 €
	Ø 115mm		

F124 Filde Mini



15 degree adjustable light / Ability to use GU10 lamp for economic version

	Power(W) lumious flux(lm)	12 1300	55.5 €
	Ø 84mm		

F123 Filde Micro



15 degree adjustable light / Extreme small size / Specialized lens for subject lighting

	Power(W) lumious flux(lm)	9 990	55.2 €
	Ø 75mm		

F129 Fitran Q TR



Trimless installation / 15 degree adjustable light / Combination of square and circular frames / Ability to use GU10 lamp for economic version

	Power(W) lumious flux(lm)	12 2600		45.1 €
	113 X 113mm			

F119 Fitran Q



15 degree adjustable light / Combination of square and circular frames Ability to use GU10 lamp for economic version

	Power(W) lumious flux(lm)	12 1300		43.0 €
	95 X 95mm			

F121 Tiran S TR



15 degree adjustable light / Consolidated form in the design

	Power(W) lumious flux(lm)	9 990		54.3 €
	113 X 113mm			

F120 Tiran S



15 degree adjustable light / Consolidated form in the design

	Power(W) lumious flux(lm)	9 990		51.7 €
	95 X 95mm			

F117 Fitran Q TR Twin



	Power(W) lumious flux(lm)	2X12 2600		95.5 €
	115 X 205mm			

Trimless installation / 15 degree adjustable light / Higher power / Ability to use GU10 lamp for economical version

F116 Tiran SG TR Twin



	Power(W) lumious flux(lm)	2X6 990		33.8 €
	115 X 205 mm			

Trimless installation / 15 degree adjustable light / Higher power / Ability to use GU10 lamp for economical version

F345 Merbo Mini RA



Specialized lens for subject lighting/ 355 degree horizontal rotation and 90 degree angle adjustment / Minimal design with small size

	Power(W) lumious flux(lm)	12 1320/1300	68.9 €
	Ø	60mm	
		Spot Medium	

F342 Merbo Micro RA



Specialized lens for subject lighting / 355 degree horizontal rotation and 90 degree angle adjustment / Minimal design with small size

	Power(W) lumious flux(lm)	9 990	61.6 €
	Ø	50mm	
		Spot Medium	

F317 Felka Mini S



Surface mounted / High efficiency

	Power(W) lumious flux(lm)	12 1320/1300	72.7 €
	Surface Mounted		
		Spot Medium	

F313 Felka Micro S



Surface mounted / Minimal design / Extreme small size

	Power(W) lumious flux(lm)	9 990	62.1 €
	Surface Mounted		
		Spot Medium	

F194 Merbo Micro RA Twin



Specialized lens for subject lighting/ 355 degree rotation and 90 degree adjustable light / Minimal design with small size

	Power(W) lumious flux(lm)	29 2 X 990	104.7 €
	Ø	32 X 112 mm	
		Spot Medium	

F334 Aro RA Designed by ReNa Design



355 degree horizontal rotation and 90 degree angle adjustment / Use GU10 lamp / Decorative ring to coordinate with interior design

	Power(W) lumious flux(lm)	6 550	31.8 €
	Ø	54mm	
		GU10 LED Lamp	

F321 Felka Maxi S



Surface mounted / High efficiency / Suitable for high ceilings

	Power(W) lumious flux(lm)	30 3300	144.4 €
	Surface Mounted		
		Spot Medium	

F327 Felka Midi S



Surface mounted / High efficiency / Suitable for high ceilings

	Power(W) lumious flux(lm)	20 2200	119.3 €
	Surface Mounted		
		Spot Medium	

F331 Aro S Designed by **ReNa Design**



Surface mounted installation / Use GU10 lamp / Decorative ring to coordinate with interior design

	Power(W) lumious flux(lm)	6 550	28.0 €
	Surface Mounted		GU10 LED Lamp

F333 Aro SA Designed by **ReNa Design**



Surface mounted installation / 355 degree horizontal rotation and 90 degree angle adjustment / Use GU10 lamp / Decorative ring to coordinate with interior design

	Power(W) lumious flux(lm)	6 550	35.0 €
	Surface Mounted		GU10 LED Lamp

F161 Valman S



Uniform lighting on the wall / Wall washer light distribution angle / Can be used for walls up to 8 meters high

	Power(W) lumious flux(lm)	20 2200	218.6 €
	Surface Mounted		WallWasher

F337 Aro CW Designed by **ReNa Design**



Surface mounted installation / Two light sources / Use GU10 lamp / Decorative ring to coordinate with interior design

	Power(W) lumious flux(lm)	2X6 2X550	63.6 €
	Surface Mounted		GU10 LED Lamp

F352 Merbo Micro CW-DS



Surface mounted installation / Two light sources / 355 degree horizontal rotation and 90 degree angle adjustment

	Power(W) lumious flux(lm)	2X9 2X990	63.6 €
	Surface Mounted		Spot Medium

F352 Merbo Micro CW-DR



Surface mounted installation / Two light sources / 355 degree horizontal rotation and 90 degree angle adjustment

	Power(W) lumious flux(lm)	2X9 2X990	123.0 €
	Surface Mounted		Spot Medium



Ozgol Residential / Architect:Harirchi Architect



Hana Bouitque Hotel / Architect: Persian Garden Studio

F319 Felka Mini P



Pendant with adjustable connecting wire / Minimal Design / Suitable for ceilings up to 3 meters high



Power(W) 12
luminous flux(lm) 1300/1320

76.5 €

Pendant Mounted



F314 Felka Micro P




Pendant with adjustable connecting wire / Two body length sizes / Special lens without glare / Suitable for elegant and modern spaces



Power(W) 9
luminous flux(lm) 990

74.7 €

Pendant Mounted



F332 Aro P Designed by ReNaDesign




Pendant with adjustable connecting wire / Use GU10 lamp / Decorative ring to coordinate with interior design



Power(W) 6
luminous flux(lm) 550

45.0 €

Pendant Mounted



Datis Office

F320 Felka Maxi P




Pendant with adjustable connecting wire / Suitable for high ceiling height



Power(W) 30
luminous flux(lm) 3300

163.6 €

Pendant Mounted



F326 Felka Midi P




Pendant with adjustable connecting wire / Connecting wire with customizable length / Suitable for high ceiling height



Power(W) 20
luminous flux(lm) 2200

128.2 €

Pendant Mounted



Ali Baba Office / Architect: Shift

F343 Merbo mini



Track light / 355 degree horizontal rotation and 90 degree angle adjustment / Minimal design

	Power(W) luminous flux(lm)	12 1320/1300	86.1 €
	Track Light		

F340 Merbo Micro



Track light / 355 degree horizontal rotation and 90 degree angle adjustment / Minimal design / Extreme small size

	Power(W) luminous flux(lm)	9 990	58.0 €
	Track Light		

F315 Felka Mini



Track light / 355 degree horizontal rotation and 90 degree angle adjustment / Minimal design

	Power(W) luminous flux(lm)	12 1320/1300	116.1 €
	Track Light		

F360 Armo Maxi



Track light / 355 degree horizontal rotation and 90 degree angle adjustment / Minimal design / High power/ Includes BS version

	Power(W) luminous flux(lm)	30 3300	78.9 €
	Track Light		

F349 Merbo Maxi



Track light / 355 degree horizontal rotation / Minimal design / High power / Includes BS version

	Power(W) luminous flux(lm)	30 3300	252.7 €
	Track Light		

F346 Merbo Midi



Track light / 355 degree horizontal rotation/ Minimal design

	Power(W) luminous flux(lm)	20 2200	117.0 €
	Track Light		

F330 Aro



Track light / 355 degree horizontal rotation and 90 degree angle adjustment / Decorative ring to coordinate with interior design

	Power(W) luminous flux(lm)	6 550	43.0 €
	Track Light		

F390 Belta Designed by ReNaDesign



Track light / 355 degree horizontal rotation and 90 degree angle adjustment / Special design of the body to achieve the desired texture / International award winner

	Power(W) luminous flux(lm)	12 1320/1300	173.4 €
	Track Light		

F362 Risen



Very high efficiency / Various angles of light distribution / Specialized for stores, large spaces and warehouses

Power(W) lumious flux(lm)	54 10100/9600	298.4 €
Track Light		

F361 Valman T



Uniform lighting on the wall / Wall washer light distribution angle / Can be used for walls up to 8 meters high

Power(W) lumious flux(lm)	30 3300	226.9 €
Track Light		

F467 Sira R 1616



Recessed installation / Extreme narrow light line / Available in various lengths


Power(W) lumious flux(lm)	10 1100	15.9 €
Track Light		

F466 Sira S 1616



Extreme narrow light line / Available in various lengths

Power(W) lumious flux(lm)	10 1100	12.7 €
Track Light		



F468 Sira TR 1616



Easy trimless installation / Extreme narrow light line / Available in various lengths / Economical price

Power(W) lumious flux(lm)	10 1100	18.6 €
Track Light		

F463 Sira V 1616



No glare due to the depth of the light / Extreme narrow light line / Available in various lengths

Power(W) lumious flux(lm)	10 1100	17.0 €
Track Light		

F449 Sira R 4040



Visiblerim / Available in various lengths / Low height for ceilings that do not have enough space / High quality diffuser

	Power(W)	30	114 cm	50.2 €
	lumious flux(lm)	40000	168 cm	68.1 €
			228 cm	75.4 €
	Wide			
	QR Code			

F470 Sira OL



Special lens for more light projection from the LED strip / Economical and cost-effective to light up walls and curtains

	Power(W)	30	29.2 €	
	lumious flux(lm)	3300		
			Surface mounted	
	QR Code			

F452 Sira R 6090



Recessed installation / Available in various lengths / Width 6 cm / high quality diffuser / detachable light source

	Power(W)	30/50	114 cm	71.3 €
	lumious flux(lm)	4000	168 cm	98.2 €
			228 cm	176.4 €
	Wide			
	QR Code			

F403 Sira R 6040



Recessed installation / Available in various lengths / Low height for ceilings that do not have enough space / High quality diffuser

	Power(W)	30	114 cm	63.3 €
	lumious flux(lm)	4000	168 cm	83.5 €
			228 cm	126.2 €
	Wide			
	QR Code			

F422 Sira P 4090



Surface installation / Available in various lengths / Width 4 cm / High quality diffuser / Adjustable cable for height / Detachable light source

	Power(W)	30/50	114 cm	66.1 €
	lumious flux(lm)	4000	168 cm	86.9 €
			228 cm	128.4 €
Pendant Mounted	Wide			
	QR Code			

F420 Sira S 4090



Surface installation / Available in various lengths / Width 4 cm / High quality diffuser / Detachable light source

	Power(W)	30/50	114 cm	61.1 €
	lumious flux(lm)	4000	168 cm	81.2 €
			228 cm	122.4 €
Surface mounted	Wide			
	QR Code			


F453 Sira P 6090



Surface installation / Can be ordered in various lengths / Width 6 cm / High quality diffuser / Adjustable cable for height / Detachable light source

	Power(W)	30/50	114 cm	76.8 €
	lumious flux(lm)	4000	168 cm	105.0 €
			228 cm	183.7 €
Pendant Mounted	Wide			
	QR Code			

F451 Sira S 6090



Surface installation / Can be ordered in various lengths / Width 6 cm / High quality diffuser / Adjustable cable for height / Detachable light source

	Power(W)	30/50	114 cm	70.0 €
	lumious flux(lm)	4000	168 cm	94.0 €
			228 cm	119.0 €
Surface mounted	Wide			
	QR Code			



FE10 Krab 36



Trimless installation / Ability to connect the rail to the Krab / Creating a uniform groove in the environment to place the lights

	Supply Voltage(W) 230	15.0 €
	60mm x X	

F432 Merbora Mini 60



Optical module for linear lights/ Minimal design / Creating point light in space /Creating a spot light in space / Usable in 6 cm wide linear lights / 355 degree horizontal rotation and 90 degree angle adjustment

	Power(W) 12 luminous flux(lm) 1300	38.0 €
	Installation on profile	

F430 Merbora Micro 40



Optical module for linear lights/ Minimal design / Creating a spot light in space / Usable in 4cm wide linear lights / 355 degree horizontal rotation and 90 degree angle adjustment

	Power(W) 9 luminous flux(lm) 990	34.0 €
	Installation on profile	



F436 Arora 60 Designed by ReNa Design



Optical module for linear lights/ Decorative ring to fit with the interior design / Creating a spot light in space / Usable in 6 cm wide linear lights / 355 degree horizontal rotation and 90 degree angle adjustment

	Power(W) 60 luminous flux(lm) 550	31.8 €
	Installation on profile	

F830 Orma



Pendant with adjustable cable / With acoustic material / Variety of colors / With GU10 lamp

	Power(W) lumious flux(lm)	6 550	86.0 €
	Pendant Mounted	GU10 LED Lamp	

F840 Sirana 625



Pendant with adjustable cable / With acoustic material / Variety of colors

	Power(W) lumious flux(lm)	30/50 4000	154.0 €
	Pendant Mounted	Wide	

F900 Vaswa Midi



Waterproof and dustproof light / Suitable for lighting facades and green areas

	Power(W) lumious flux(lm)	8 800	100.5 €
	Suitable for Outdoor	Spot Medium	

F902 Vaswa micro



24V power supply / Delicate and small size / Suitable for lighting facades and green areas

	Power(W) lumious flux(lm)	5 800	55.7 €
	Suitable for Outdoor	Spot Medium	

F856 Felkana



Pendant, with adjustable cable / With acoustic material / Variety of colors / Suitable for high ceilings

	Power(W) lumious flux(lm)	30 3300	205.9 €
	Pendant Mounted	Spot Wide Medium	



Bank Melli Ferdowsi / Architect: Padiav Parth Architects 2017

F905 Vaswa Maxi



Extreme spot light distribution / High light projection / Low power / Suitable for lighting vertical elements up to 20 meters

	Power(W) lumious flux(lm)	12 1320	211.4 €
	Suitable for Outdoor	X-Spot	

F925 Silva Maxi



Waterproof and dustproof light / Suitable for outdoor environments / High light power

Power(W)	40	246.7 €
lumious flux(lm)	3240	
Suitable for Outdoor		

100.5 €

F920 Silva Midi



Waterproof and dustproof light / Suitable for outdoor environments / Appropriate light power

Power(W)	13	124.2 €
lumious flux(lm)	1400	
Suitable for Outdoor		

55.7 €



Park Center / Architect: Bonsar Office 2016



Product classification list based on light class

1 Innovative products

Darklans	10
Oyan	10
Zhiwer	10
Roni	14
Valman	14
Valman T	28
Sirana	34
Orma	34
Felkana	34
Belta	27
Sira OL	30
Vaswa Maxi	35

2 Standard products

Eyren Micro	11	Merbo Micro	26
Eyren Midi	11	Merbo Mini	26
Eyren Maxi	11	Merbo Midi	26
Sibron C Micro	12	Merbo Maxi	26
Sibron C Midi	12	Armo Maxi	27
Sibron C Maxi	12	Felka Mini	27
Nian	13	Risen	28
Sibron Q Midi	16	Sira TR 1616	29
Sibron Q Maxi	16	Sira R 1616	29
Eyden Mini	17	Sira V 1616	29
Eyden Mini TR	17	Sira S 1616	29
Filde Micro	17	Sira S 4090	30
Fitran Q TR	18	Sira P 4090	30
Fitran Q TR Twin	18	Sira R 6090	31
Tiran S	19	Sira S 6090	31
Tiran S TR	19	Sira P 6090	31
Tiran SG TR Twin	19	Merbora Micro 40	33
Merbo Micro RA	20	Merbora Mini 60	33
Merbo Mini RA	20	Krab 36	32
Merbo Micro RA Twin	20	Krab 16	32
Felka Micro S	21	Vaswa Micro	35
Felka Mini S	21	Vaswa Midi	35
Felka Midi S	21	Silva Midi	36
Felka Maxi S	21	Silva Maxi	36
Merbo Micro CW-DR	22	Torso	36
Merbo Micro CW-DS	22		
Felka Micro P	24		
Felka Mini P	24		
Felka Midi P	24		
Felka Maxi P	24		

3 Economic products

Eyren Mini (GU10)	10
Sibron C Mini (GU10)	13
Sibron CFTR (GU10)	11
Tiran C Mini (GU10)	12
Sibon Q Mini (GU10)	17
Filde Mini (GU10)	16
Fitran Q (GU10)	19
Aro RA	21
Aro S	23
Aro SA	23
Aro CW	23
Aro P	24
Aro	26
Arora 60	33
Sira R 4040	31
Sira R 6040	30

4 Customized products

Custom lights can be ordered based on customer needs.